



**CODIGO :** 172994  
**NOMBRE PACIENTE :** DANNA SALOME PEÑA ALBARRACIN **SEXO :** FEMENINO  
**FECHA DE NACIMIENTO :** 18/01/2026 **REGISTRO CIVIL :** 1,012,487,266  
**NOMBRE RESPONSABLE :** MARIA DEL PILAR ALBARRACIN MORENO  
**DOC.IDENTIDAD DE LA MADRE :** 1,024,584,127  
**FECHA TOMA DE MUESTRA :** 09/04/2026 **TIPO DE MUESTRA :** TALÓN  
**FECHA DE IMPRESIÓN :** 25/04/2026 **PESO :** 3410

## TAMIZAJE NEONATAL

### ANÁLISIS MUESTRA DE SANGRE

	RESULTADO	VALORES DE REFERENCIA	INTERPRETACIÓN
T.S.H Neonatal	0.95	>= 6 µl/mL talón en prematuros >= 10 µl/mL talón >= 15 µl/mL cordón	Normal
Deficiencia de G6PDH	6.40	> 2.6 U/gHb	Normal
<i>TÉCNICA: Fluoroimmunoensayo (Delfia).</i>			<i>Procesado en Colombia por PREGEN.</i>
Hemoglobinopatías	AF	Ausencia de hemoglobinas anormales	Normal
<i>TÉCNICA: Cromatografía Líquida de Alto Rendimiento (HPLC).</i>			<i>Procesado en Colombia por PREGEN.</i>

## TAMIZAJE AMPLIADO

### ESPECTROMETRIA DE MASAS EN TANDEM

Procesado en Archimedlife international medical laboratory. 1110 Vienna.

#### DESORDENES DE AMINOÁCIDOS

Citrulina, Metionina, Leucina, Isoleucina, Valina, Fenilalanina, Tirosina.

Ausencia de metabolitos anormales Normal

#### PERFIL DE ACILCARNITINAS

C16, C18, C18:1, C16OH, C18:1OH, C8, C10:1, C5, C5DC, C4, C14, C14:1, C50H, C3, C5:1

Ausencia de metabolitos anormales Normal

#### RESULTADOS NORMALES


Recuerde que estas son pruebas de tamizaje que solo indican la probabilidad de que el recién nacido tenga una de las enfermedades estudiadas por el programa y pueden requerir pruebas adicionales para la confirmación de algún diagnóstico. La sensibilidad de estas pruebas se reduce a medida que aumenta la edad del paciente, por esto es conveniente realizarlas dentro del primer mes de nacido.

**REVISADO :** EDUVILIA JOHANA GOMEZ **PROCESADO :** MARIA JOSE PINZON GARCIA **FECHA :**  
Bacterióloga Bacterióloga  
Reg. 40.936.003 Reg. 1.015.469.392 25/04/2026

LABORATORIO PREGEN  
 Carrera 15a No 106-42  
 BOGOTA

Batch 2122, Rack A, Plate 1, Well H10, 172994  
 [8933125729542640] Apr 13, 2026 15:34:43 Pressure = 60 bar (58 to 61)

AF



PEAK	RT	REL	RT	% CONC	AREA	COMMENT
1	0.408	F	0.21	2.8%	35789	
2	0.547	F	0.28	2.9%	37395	
3	0.870	F	0.45	3.2%	41210	
4	1.152	F	0.59	0.3%	4512	
5	1.328	F	0.68	0.7%	8967	
6	1.927	F	0.99	12.8%	165895	Consistent with F
7	2.638	F	1.36	1.4%	17883	
8	2.792	F	1.44	0.4%	5310	
9	2.935	A	0.78	1.5%	19733	
10	3.743	A	1.00	72.4%	939345	A peak - REVIEW
11	4.308	A	1.15	0.2%	1994	
12	4.518	S	0.86	1.5%	20048	3
Total Area: 1298081						

- Codes:
- 1) Wide A peak
  - 2) Area of A peak < 80%
  - 3) Peak area greater than expected
  - 4) Peak after A2
  - 5) Alc > 10%
  - 6) HbF or variant present
  - 7) Total sample area too small/big
  - 8) A2 is not within normal range

Dr. MARIA JOSE PINZON GARCIA  
RED COLOMBIANA DE MEDICINA GENETICA SAS - PREGEN  
BOGOTA  
CARRERA 15 A # 106 - 42  
11001 BOGOTA  
Colombia

Date of Report 24.04.2026  
Sample Received 17.04.2026  
Date of Sampling 09.04.2026  
LAB-ID 262017173

## Medical Report

Patient name	<b>PEÑA ALBARRACIN DANNA SALOME</b>	Sample-ID	A0321958
Date of Birth	<b>18.01.2026</b>	Gender	F

**Indication:** Newborn Screening

**Method(s):** Immunoassay, Tandem mass spectrometry from Dried Blood Spot. qPCR from Dried Blood Spot.

**Results:**

Parameter	Value	Unit	Reference
Birth weight (g)	3410	g	-
17-hydroxyprogesterone (17OHP)	<5.0	nmol/L	< 90.0
Thyroid-stimulating hormone (TSH)	<0.7	μU/mL	< 15.0
Biotinidase	348.6	U	> 51.0
Galactose-1-P-uridyltransferase (GALT)	8.7	U/g Hb	> 2.5
Immunoreactive trypsinogen (IRT)	15.8	ng/mL	< 65.0
Phenylalanine	31.4	μmol/L	< 150.0
Amino acid profile	negative		-
Acylcarnitine profile	negative		-

**Interpretation:** NEGATIVE RESULT

Patient name	<b>PEÑA ALBARRACIN DANNA SALOME</b>
Date of Birth	<b>18.01.2026</b>

Sample-ID	A0321958
Gender	F

## Results:

### Amino Acids

Parameter	Value	Unit	Reference
Phenylalanine (Phe)	31.4	µmol/L	< 150.0
Phenylalanine / Tyrosine ratio (Phe/Tyr)	0.39	µmol/L	< 2.20
Tyrosine (Tyr)	79.9	µmol/L	< 200.0
Leucine (Leu)	102.5	µmol/L	< 270.0
Valine (Val)	60.4	µmol/L	< 200.0
Methionine (MET)	20.9	µmol/L	< 78.0
Methionine / Phenylalanine (Met/Phe)	0.67	µmol/L	< 1.60
Citrulline (Cit)	10.7	µmol/L	< 50.0
Ornithine (Orn)	81.5	µmol/L	< 250.0
Ornithine / Citrulline ratio (Orn/Cit)	7.62	µmol/L	1.50 - 20.00
Proline (Pro)	101.3	µmol/L	< 350.0
Alanine (Ala)	144.0	µmol/L	< 750.0
Arginine (Arg)	24.2	µmol/L	< 100.0
Aspartic acid (Asp)	36.0	µmol/L	< 100.0
Glutamic acid (Glu)	157.1	µmol/L	< 600.0
Glycamine (Gly)	123.7	µmol/L	< 700.0

### Acylcarnitines

Free carnitine (C0)	18.93	µmol/L	6.00 - 100.00
acetylcarnitine (C2)	12.23	µmol/L	1.34 - 48.81
propionylcarnitine (C3)	2.22	µmol/L	0.13 - 6.60
butyryl-/isobutyrylcarnitine (C4)	0.20	µmol/L	0.03 - 0.90
isovaleryl-/2-methylbutyrylcarnitine(C5)	0.11	µmol/L	0.02 - 2.00
tiglylcarnitine (C5:1)	0.01	µmol/L	< 0.20
hydroxyvalerylcarnitine (C5OH)	0.15	µmol/L	0.02 - 0.57
glutarylacetyl carnitine (C5DC)	0.03	µmol/L	< 0.30
hexanoylcarnitine (C6)	0.05	µmol/L	0.01 - 0.13
octanoylcarnitine (C8)	0.05	µmol/L	0.01 - 0.30
decanoylcarnitine (C10)	0.04	µmol/L	0.01 - 0.36
decenoylcarnitine (C10:1)	0.12	µmol/L	< 0.30
decadienoylcarnitine (C10:2)	0.04	µmol/L	< 0.10
dodecanoylcarnitine (C12)	0.05	µmol/L	0.10 - 0.60
myristoylcarnitine (C14)	0.08	µmol/L	0.01 - 0.57
tetradecenoylcarnitine (C14:1)	0.10	µmol/L	0.10 - 0.38
palmitoylcarnitine (C16)	0.61	µmol/L	0.62 - 7.81
3-hydroxypalmitoylcarnitine (C16OH)	0.02	µmol/L	< 0.10
stearoylcarnitine (C18)	0.32	µmol/L	0.30 - 2.40
oleylcarnitine (C18:1)	3.02	µmol/L	0.06 - 3.86
3-hydroxystearoylcarnitine (C18OH)	0.01	µmol/L	< 0.09
malonylcarnitine (C3DC)	0.02	µmol/L	< 0.50

Amino acid levels are indicators of phenylketonuria, tyrosinemia, MSUD, hydroxyprolinuria, hypermethioninemia (homocystinuria), citrullinemia, argininosuccinate aziduria, hyperargininemia, and hyperprolinemia. Acylcarnitine levels are indicators of carnitine uptake disorders, CPT-I deficiency, CPT-II deficiency, CAT deficiency, propionaciduria, methylmalonic aciduria, malonic aciduria, SCAD deficiency/ethylmalonic aciduria, isovaleric aciduria, HMG-CoA lyase deficiency, 3-methylcrotonyl-CoA carboxylase deficiency, methylglutaconiduria, MCAD deficiency, VLCAD deficiency, LCHAD deficiency, glutaraziduria I, multiple acyl-CoA dehydrogenase deficiency (MAD deficiency/glutaraziduria II), and Beta-ketothiolase deficiency.

**Please note:** Inconspicuous negative biochemical results cannot exclude any inborn error of metabolism or endocrine disorder with certainty in newborns. We recommend any follow-up or genetic testing if any clinical symptoms are present.

**Authorized By:** Assoc.-Prof. Dr. Andrea-Romana KASPER, MD, PhD  
[Specialist for Pediatrics, Neonatology and Nutrition]

Report was electronically signed and approved.

**Contact Details**  
Assoc.-Prof. Dr. Andrea-Romana KASPER, MD, PhD  
E-Mail: info@archimedlife.com

**ARCHIMEDlife GmbH**  
International Medical Laboratory+  
Leberstrasse 20/2 | 1110 Vienna, Austria  
www.archimedlife.com