



**CODIGO :** 172614  
**NOMBRE PACIENTE :** EILEEN SOFIA GIRALDO CARDONA **SEXO :** FEMENINO  
**FECHA DE NACIMIENTO :** 30/12/2025 **REGISTRO CIVIL :** 1,010,255,388  
**NOMBRE RESPONSABLE :** YESICA ALEJANDRA CARDONA CORTES  
**DOC.IDENTIDAD DE LA MADRE :** 1,061,657,262  
**FECHA TOMA DE MUESTRA :** 05/03/2026 **TIPO DE MUESTRA :** TALÓN  
**FECHA DE IMPRESIÓN :** 20/03/2026 **PESO :** 2950

## TAMIZAJE NEONATAL

### ANÁLISIS MUESTRA DE SANGRE

	RESULTADO	VALORES DE REFERENCIA	INTERPRETACIÓN
T.S.H Neonatal	0.70	>= 6 µl/mL talón en prematuros >= 10 µl/mL talón >= 15 µl/mL cordón	Normal
Deficiencia de G6PDH	5.90	> 2.6 U/gHb	Normal
<i>TÉCNICA: Fluoroimmunoensayo (Delfia).</i>			<i>Procesado en Colombia por PREGEN.</i>
Hemoglobinopatías	AF	Ausencia de hemoglobinas anormales	Normal
<i>TÉCNICA: Cromatografía Líquida de Alto Rendimiento (HPLC).</i>			<i>Procesado en Colombia por PREGEN.</i>

## TAMIZAJE AMPLIADO

### ESPECTROMETRIA DE MASAS EN TANDEM

Procesado en Archimedlife international medical laboratory. 1110 Vienna.

#### DESORDENES DE AMINOÁCIDOS

Citrulina, Metionina, Leucina, Isoleucina, Valina, Fenilalanina, Tirosina.

Ausencia de metabolitos anormales Normal

#### PERFIL DE ACILCARNITINAS

C16,C18,C18:1,C16OH,C18:1OH,C8,C10:1,C5,C5DC,C4,C14,C14:1,C50H,C3,C5:1

Ausencia de metabolitos anormales Normal

#### RESULTADOS NORMALES


Recuerde que estas son pruebas de tamizaje que solo indican la probabilidad de que el recién nacido tenga una de las enfermedades estudiadas por el programa y pueden requerir pruebas adicionales para la confirmación de algún diagnóstico. La sensibilidad de estas pruebas se reduce a medida que aumenta la edad del paciente, por esto es conveniente realizarlas dentro del primer mes de nacido.

**REVISADO :** EDUVILIA JOHANA GOMEZ **PROCESADO :** MARIA JOSE PINZON GARCIA **FECHA :**  
Bacterióloga Bacterióloga  
Reg. 40.936.003 Reg. 1.015.469.392 20/03/2026

LABORATORIO PREGEN  
 Carrera 15a No 106-42  
 BOGOTA

Batch 2093, Rack A, Plate 1, Well B04, 172614  
 [DD662BB385E68668] Mar 11, 2026 14:12:37 Pressure = 58 bar (56 to 59)

AF



PEAK	RT	REL RT	% CONC	AREA	COMMENT
1	0.407	F 0.21	2.5%	29080	
2	0.548	F 0.28	1.5%	17529	
3	0.725	F 0.37	0.5%	5377	
4	0.893	F 0.45	9.3%	107824	
5	1.305	F 0.66	0.9%	10020	
6	1.647	F 0.84	0.3%	3839	
7	1.967	F 1.00	27.0%	314758	Consistent with F
8	2.575	F 1.31	1.0%	11389	
9	2.693	F 1.37	1.9%	22659	
10	2.970	A 0.79	1.0%	11086	
11	3.772	A 1.00	52.8%	614592	A peak - REVIEW
12	4.545	S 0.86	1.4%	16385	3
				Total Area: 1164538	

- Codes:
- 1) Wide A peak
  - 2) Area of A peak < 80%
  - 3) Peak area greater than expected
  - 4) Peak after A2
  - 5) Alc > 10%
  - 6) HbF or variant present
  - 7) Total sample area too small/big
  - 8) A2 is not within normal range

Dr. MARIA JOSE PINZON GARCIA  
RED COLOMBIANA DE MEDICINA GENETICA SAS - PREGEN  
BOGOTA  
CARRERA 15 A # 106 - 42  
11001 BOGOTA  
Colombia

Date of Report 20.03.2026  
Sample Received 13.03.2026  
Date of Sampling 05.03.2026  
LAB-ID 262011859

## Medical Report

Patient name	<b>GIRALDO CARDONA EILEEN SOFIA</b>	Sample-ID	A0361489
Date of Birth	<b>30.12.2025</b>	Gender	F

**Indication:** Newborn Screening

**Method(s):** Immunoassay, Tandem mass spectrometry from Dried Blood Spot. qPCR from Dried Blood Spot.

**Results:**

Parameter	Value	Unit	Reference
Birth weight (g)	2950	g	-
17-hydroxyprogesterone (17OHP)	<5.0	nmol/L	< 90.0
Thyroid-stimulating hormone (TSH)	<0.7	µU/mL	< 15.0
Biotinidase	345.4	U	> 51.0
Galactose-1-P-uridyltransferase (GALT)	5.8	U/g Hb	> 2.5
Immunoreactive trypsinogen (IRT)	<15	ng/mL	< 65.0
Phenylalanine	32.8	µmol/L	< 150.0
Amino acid profile	negative		-
Acylcarnitine profile	negative		-

**Interpretation:** NEGATIVE RESULT

Patient name	<b>GIRALDO CARDONA EILEEN SOFIA</b>
Date of Birth	<b>30.12.2025</b>

Sample-ID	A0361489
Gender	F

## Results:

### Amino Acids

Parameter	Value	Unit	Reference
Phenylalanine (Phe)	32.8	µmol/L	< 150.0
Phenylalanine / Tyrosine ratio (Phe/Tyr)	0.49	µmol/L	< 2.20
Tyrosine (Tyr)	66.3	µmol/L	< 200.0
Leucine (Leu)	87.9	µmol/L	< 270.0
Valine (Val)	54.3	µmol/L	< 200.0
Methionine (MET)	28.2	µmol/L	< 78.0
Methionine / Phenylalanine (Met/Phe)	0.86	µmol/L	< 1.60
Citrulline (Cit)	21.3	µmol/L	< 50.0
Ornithine (Orn)	142.6	µmol/L	< 250.0
Ornithine / Citrulline ratio (Orn/Cit)	6.69	µmol/L	1.50 - 20.00
Proline (Pro)	92.4	µmol/L	< 350.0
Alanine (Ala)	148.4	µmol/L	< 750.0
Arginine (Arg)	37.6	µmol/L	< 100.0
Aspartic acid (Asp)	112.4	µmol/L	< 100.0
Glutamic acid (Glu)	313.2	µmol/L	< 600.0
Glycamine (Gly)	236.9	µmol/L	< 700.0

### Acylcarnitines

Free carnitine (C0)	17.62	µmol/L	6.00 - 100.00
acetylcarnitine (C2)	14.54	µmol/L	1.34 - 48.81
propionylcarnitine (C3)	1.44	µmol/L	0.13 - 6.60
butyryl-/isobutyrylcarnitine (C4)	0.16	µmol/L	0.03 - 0.90
isovaleryl-/2-methylbutyrylcarnitine(C5)	0.30	µmol/L	0.02 - 2.00
tiglylcarnitine (C5:1)	0.01	µmol/L	< 0.20
hydroxyvalerylcarnitine (C5OH)	0.16	µmol/L	0.02 - 0.57
glutarylacarnitine (C5DC)	0.04	µmol/L	< 0.30
hexanoylcarnitine (C6)	0.06	µmol/L	0.01 - 0.13
octanoylcarnitine (C8)	0.03	µmol/L	0.01 - 0.30
decanoylcarnitine (C10)	0.04	µmol/L	0.01 - 0.36
decenoylcarnitine (C10:1)	0.14	µmol/L	< 0.30
decadienoylcarnitine (C10:2)	0.04	µmol/L	< 0.10
dodecanoylcarnitine (C12)	0.05	µmol/L	0.10 - 0.60
myristoylcarnitine (C14)	0.10	µmol/L	0.01 - 0.57
tetradecenoylcarnitine (C14:1)	0.07	µmol/L	0.10 - 0.38
palmitoylcarnitine (C16)	0.86	µmol/L	0.62 - 7.81
3-hydroxypalmitoylcarnitine (C16OH)	0.02	µmol/L	< 0.10
stearoylcarnitine (C18)	0.55	µmol/L	0.30 - 2.40
oleylcarnitine (C18:1)	2.86	µmol/L	0.06 - 3.86
3-hydroxystearoylcarnitine (C18OH)	0.01	µmol/L	< 0.09
malonylcarnitine (C3DC)	0.04	µmol/L	< 0.50

Amino acid levels are indicators of phenylketonuria, tyrosinemia, MSUD, hydroxyprolinuria, hypermethioninemia (homocystinuria), citrullinemia, argininosuccinate aziduria, hyperargininemia, and hyperprolinemia. Acylcarnitine levels are indicators of carnitine uptake disorders, CPT-I deficiency, CPT-II deficiency, CAT deficiency, propionaciduria, methylmalonic aciduria, malonic aciduria, SCAD deficiency/ethylmalonic aciduria, isovaleric aciduria, HMG-CoA lyase deficiency, 3-methylcrotonyl-CoA carboxylase deficiency, methylglutaconiduria, MCAD deficiency, VLCAD deficiency, LCHAD deficiency, glutaraziduria I, multiple acyl-CoA dehydrogenase deficiency (MAD deficiency/glutaraziduria II), and Beta-ketothiolase deficiency.

**Please note:** Inconspicuous negative biochemical results cannot exclude any inborn error of metabolism or endocrine disorder with certainty in newborns. We recommend any follow-up or genetic testing if any clinical symptoms are present.

**Authorized By:** Assoc.-Prof. Dr. Andrea-Romana KASPER, MD, PhD  
[Specialist for Pediatrics, Neonatology and Nutrition]

Report was electronically signed and approved.

#### Contact Details

Assoc.-Prof. Dr. Andrea-Romana KASPER, MD, PhD  
E-Mail: info@archimedlife.com

**ARCHIMEDlife GmbH**  
International Medical Laboratory+  
Leberstrasse 20/2 | 1110 Vienna, Austria  
www.archimedlife.com