

Dr. MARIA JOSE PINZON GARCIA  
RED COLOMBIANA DE MEDICINA GENETICA SAS - PREGEN  
BOGOTA  
CARRERA 15 A # 106 - 42  
11001 BOGOTA  
Colombia

Date of Report 17.02.2026  
Sample Received 11.02.2026  
Date of Sampling 30.01.2026  
LAB-ID 262005994

## Medical Report

|               |                                       |           |          |
|---------------|---------------------------------------|-----------|----------|
| Patient name  | <b>CORREA GONZALEZ MARIA CATALINA</b> | Sample-ID | A0321472 |
| Date of Birth | <b>24.01.2026</b>                     | Gender    | F        |

**Indication:** Newborn Screening

**Method(s):** Immunoassay, Tandem mass spectrometry from Dried Blood Spot

**Results:**

| Parameter                                | Value    | Unit   | Reference |
|--|----------|--------|-----------|
| Birth weight (g)                         | -        | g      | -         |
| 17-hydroxyprogesterone (17OHP)           | <5.0     | nmol/L | < 90.0    |
| Thyroid-stimulating hormone (TSH)        | 1.1      | μU/mL  | < 15.0    |
| Biotinidase                              | 167.8    | U      | > 51.0    |
| Galactose-1-P-uridylyltransferase (GALT) | 8.8      | U/g Hb | > 2.5     |
| Immunoreactive trypsinogen (IRT)         | 29.3     | ng/mL  | < 65.0    |
| Phenylalanine                            | 33.1     | μmol/L | < 150.0   |
| Amino acid profile                       | negative |        | -         |
| Acylcarnitine profile                    | negative |        | -         |

**Interpretation:** NEGATIVE RESULT

|               |                                       |
|---------------|---------------------------------------|
| Patient name  | <b>CORREA GONZALEZ MARIA CATALINA</b> |
| Date of Birth | <b>24.01.2026</b>                     |

|           |          |
|-----------|----------|
| Sample-ID | A0321472 |
| Gender    | F        |

## Results:

| Parameter                                | Value | Unit   | Reference     |
|--|-------|--------|---------------|
| Phenylalanine (Phe)                      | 33.1  | µmol/L | < 150.0       |
| Phenylalanine / Tyrosine ratio (Phe/Tyr) | 0.56  | µmol/L | < 2.20        |
| Tyrosine (Tyr)                           | 59.5  | µmol/L | < 200.0       |
| Leucine (Leu)                            | 113.8 | µmol/L | < 270.0       |
| Valine (Val)                             | 57.3  | µmol/L | < 200.0       |
| Methionine (MET)                         | 22.0  | µmol/L | < 78.0        |
| Methionine / Phenylalanine (Met/Phe)     | 0.66  | µmol/L | < 1.60        |
| Citrulline (Cit)                         | 14.3  | µmol/L | < 50.0        |
| Ornithine (Orn)                          | 84.3  | µmol/L | < 250.0       |
| Ornithine / Citrulline ratio (Orn/Cit)   | 5.90  | µmol/L | 1.50 - 20.00  |
| Proline (Pro)                            | 94.5  | µmol/L | < 350.0       |
| Alanine (Ala)                            | 167.2 | µmol/L | < 750.0       |
| Arginine (Arg)                           | 6.7   | µmol/L | < 100.0       |
| Aspartic acid (Asp)                      | 52.7  | µmol/L | < 100.0       |
| Glutamic acid (Glu)                      | 518.0 | µmol/L | < 600.0       |
| Glycamine (Gly)                          | 271.2 | µmol/L | < 700.0       |
| Free carnitine (C0)                      | 17.66 | µmol/L | 6.00 - 100.00 |
| acetylcarnitine (C2)                     | 13.56 | µmol/L | 1.34 - 48.81  |
| propionylcarnitine (C3)                  | 1.42  | µmol/L | 0.13 - 6.60   |
| butyryl-/isobutyrylcarnitine (C4)        | 0.32  | µmol/L | 0.03 - 0.90   |
| isovaleryl-/2-methylbutyrylcarnitine(C5) | 0.14  | µmol/L | 0.02 - 2.00   |
| tiglylcarnitine (C5:1)                   | 0.01  | µmol/L | < 0.20        |
| hydroxyvalerylcarnitine (C5OH)           | 0.32  | µmol/L | 0.02 - 0.57   |
| glutaryl carnitine (C5DC)                | 0.04  | µmol/L | < 0.30        |
| hexanoylcarnitine (C6)                   | 0.05  | µmol/L | 0.01 - 0.13   |
| octanoylcarnitine (C8)                   | 0.03  | µmol/L | 0.01 - 0.30   |
| decanoylcarnitine (C10)                  | 0.04  | µmol/L | 0.01 - 0.36   |
| decenoylcarnitine (C10:1)                | 0.11  | µmol/L | < 0.30        |
| decadienoylcarnitine (C10:2)             | 0.03  | µmol/L | < 0.10        |
| dodecanoylcarnitine (C12)                | 0.13  | µmol/L | 0.10 - 0.60   |
| myristoylcarnitine (C14)                 | 0.22  | µmol/L | 0.01 - 0.57   |
| tetradecenoylcarnitine (C14:1)           | 0.21  | µmol/L | 0.10 - 0.38   |
| palmitoylcarnitine (C16)                 | 2.54  | µmol/L | 0.62 - 7.81   |
| 3-hydroxypalmitoylcarnitine (C16OH)      | 0.04  | µmol/L | < 0.10        |
| stearoylcarnitine (C18)                  | 1.15  | µmol/L | 0.30 - 2.40   |
| oleylcarnitine (C18:1)                   | 8.46  | µmol/L | 0.06 - 3.86   |
| 3-hydroxystearoylcarnitine (C18OH)       | 0.01  | µmol/L | < 0.09        |
| malonylcarnitine (C3DC)                  | 0.04  | µmol/L | < 0.50        |

**Please note:** Inconspicuous negative biochemical results cannot exclude any inborn error of metabolism or endocrine disorder with certainty in newborns. We recommend any follow-up or genetic testing if any clinical symptoms are present.

**Authorized By:** Assoc.-Prof. Dr. Andrea-Romana KASPER, MD, PhD  
[Specialist for Pediatrics, Neonatology and Nutrition]

Report was electronically signed and approved.

**Contact Details**  
Assoc.-Prof. Dr. Andrea-Romana KASPER, MD, PhD  
E-Mail: info@archimedlife.com

**ARCHIMEDlife GmbH**  
International Medical Laboratory+  
Leberstrasse 20/2 | 1110 Vienna, Austria  
www.archimedlife.com